



QUALYS SECURITY CONFERENCE 2020


Continuous Compliance in Hybrid Environment

New Frontier in Unified Compliance, Configuration
and File Integrity Management

Shailesh Athalye

VP, Compliance Solutions, Qualys, Inc.

2014: Good Old Days of Compliance




2020: Security is Continuous and Unified

To reduce the 'attack surface'

To reduce breaches due to misconfigurations, lack of monitoring

Question remains:
How to make Compliance and Risk continuous?



Semi-automated Way for Connecting is old!

Time to value

Time to see roll up the operational data

Varied types of Security and Assets data
FIM, Patch, Malware, VM, threats
Scoping and Tracking Assets

Point solutions injecting data with
connectors, never normalize



Connect Security with Compliance and Risk



Inventory Your Systems

Inventory and Restrict Software

Secure Configurations and Data Security

Continuous VM

Review Access Rights

AI SYN

SYN AI VM PC

PC

VM CM TP

PC

PCI DSS Requirements
8.2.3 Passwords/passphrases must meet the following: <ul style="list-style-type: none"> Require a minimum length of at least seven characters. Contain both numeric and alphabetic characters. Alternatively, the passwords/passphrases must have complexity and strength at least equivalent to the parameters specified above.
8.2.4 Change user passwords/passphrases at least once every 90 days.

ISO/IEC 27001 (Annex A) CONTROLS
A.11.2 User access management
A.11.2.1 User registration
A.11.2.2 Privilege management
A.11.2.3 User password management

Section of HIPAA Security Rule	HIPAA Security Rule Standards	Implementation Specifications
164.308(a)(5)(ii)(D)		Password Management (A): Procedures for creating, changing, and safeguarding passwords.
CIP-007-5 Table R5 – System Access Control		
Part	Applicable Systems	Requirements
5.5	High Impact BES Cyber Systems and their associated: <ol style="list-style-type: none"> EACMS; PACS; and PCA Medium Impact BES Cyber Systems and their associated: <ol style="list-style-type: none"> EACMS; PACS; and PCA 	For password-only authentication for interactive user access, either technically or procedurally enforce the following password parameters: 5.5.1. Password length that is, at least, the lesser of eight characters or the maximum length supported by the Cyber Asset; and 5.5.2. Minimum password complexity that is the lesser of three or more different types of characters (e.g., uppercase alphabetic, lowercase alphabetic, numeric, non-alphanumeric) or the maximum complexity supported by the Cyber
CSC 16-3	Ensure that systems automatically create a report that includes a list of locked-out accounts, disabled accounts, accounts with passwords that exceed the maximum password age, and accounts with passwords that never expire. This list should be sent to the associated system administrator in a secure fashion.	

Continuous Compliance & Risk From Continuous Security



Qualys Unified Compliance & Risk



Map security to compliance



Integrated Security Platform

Qualys Platform for unified and continuous security

Continuous Risk and Compliance from Continuous Security

Qualys Unified Compliance maps every app's output to 25+ Compliance standards and Risk objectives

HOME DASHBOARD **ASSESSMENT** REPORTS CONFIGURATION

Mandates Assessment Risk Tickets

✕ Mandate.name like %Fedramp Mod% Last 30 days

TOTAL CONTROL OBJECTIVE
325

FAILED CONTROL OBJECTIVE
98

TOTAL CONTROLS EVALUATED
223K

FAILED CONTROL EVALUATIONS
26K

1 - 10 of 325

Action Generate Report

MANDATE ID	OBJECTIVE	OBJECTS	POSTURE EVALUATION			ASGNT.STATUS	CRITICALITY
			STATUS	PASS	FAIL		
IA-5	Authenticator management	1992	Fail	1036	959	-	Critical
IA-5 (1)	Password-Based Authentication	1308 (Assets)	Fail	1011	297	-	Critical
	Datacenter Assets	1134 (Assets)	Fail	907	227	-	NA
	CID CONTROL NAME	OBJECTS	POSTURE EVALUATION				CRITICALITY
	1071 Status of minimum password strength	1058 (Assets)	Fail	838	220	Unassigned	Critical
	10459 Status of required special characters	824 (Assets)	Fail	634	190	Unassigned	Critical
	SaaS Objects	1 (Connector)	Pass	1	0	-	NA
	CID CONTROL NAME	OBJECTS	POSTURE EVALUATION				CRITICALITY
	60032 GSUITE Admin Strong Password Policy...	1 (Connectors)	Pass	1	0	Resolved	Critical
	61011 Microsoft365 AD Password Policy Enforc...	1 (Connectors)	Pass	1	0	Resolved	Critical
	Mobile Devices	170 (Assets)	Fail	100	70	-	NA
	CID CONTROL NAME	OBJECTS	POSTURE EVALUATION				CRITICALITY
	89 Mobile phone passcode length	170 (Assets)	Fail	100	70	In Progress	Critical
	Public Cloud Services	3 (Connectors)	Pass	3	0	-	NA
	CID CONTROL NAME	OBJECTS	POSTURE EVALUATION				CRITICALITY
	6 Ensure that AWS IAM password policy is ...	3 (Connectors)	Pass	3	0	NA	Critical
	7 Ensure IAM password policy requires at ...	3 (Connectors)	Pass	3	0	NA	Critical


New-age Challenges: Teams Speaking Different Languages



Elastic, Kafka, custom
web servers




Identify risk and
compliance



Secure hosts, config/integrity/
vulnerability management

Security & Compliance teams should be running with DevOps from the start

Start Compliant, Stay Compliant in DevOps with Qualys PC in CI Phase




QUALYS POLICY COMPLIANCE RESULTS

Show 10 entries

CID	Title	Technology	Criticality
14602	Status of the 'nosuid' option for '/tmp' partition using 'mount' command	CentOS 7	4
10804	Status of the SELinux current mode (running configuration)	CentOS 7	4
10643	Status of iptables package	CentOS 7	4
12815	List of runtime audit rules for '/etc/passwd' file, using auditctl	CentOS 7	4
10664	Status of the 'OPTIONS' setting within '/etc/sysconfig/chronyd' file	CentOS 7	4
9473	Existence of the 'extraneous' files and directories (Sensitive files/Directories)	Tomcat 8	3
9477	Status of 'X-Powered-By' setting within 'server.xml' file	Tomcat 8	4
9551	Status of the 'secure' attribute for each 'Connector' elements whose 'SSL Enabled' are set to 'true'	Tomcat 8	4
9605	Status of the command-line flag 'STRICT_SERVLET_COMPLIANCE' set for the Tomcat process	CentOS 7	4
9565	Status of the 'web server processes' which are not started with 'Security Manager'	CentOS 7	4

Qualys FIM Monitors From CD Phase



Automatically Discover and Assess Middleware with Dynamic Paths

Just based on host scans,
discover unauthorized
technologies,
web servers,
databases automatically

And...

There's no need to
create authentication
records

Apache Tomcat 8.x		PASS	80	0	0
1. ApacheTomcatControls					
(1.1) 9505 Status of the 'permissions' within '\$CATALINA_HOME/webapps' directory		CRITICAL			
▶ 1. Apache TC 8::/opt/apache-tomcat-8.0.18/apache-tomcat-8.0.18		Status:	PASS		
▶ 2. Apache TC 8::/opt/apache-tomcat-8.5.20		Status:	PASS		
▶ 3. Apache TC 8::/opt/apache-tomcat-8.5.20/apache-tomcat		Status:	PASS		
▶ 4. Apache TC 8::/opt/apache-tomcat-8.5.20/apache-tomcat1		Status:	PASS		
(1.2) 9602 Status of the 'manager application (webapps/manager)' setting		SERIOUS			
▶ 1. Apache TC 8::/opt/apache-tomcat-8.5.20/apache-tomcat1		Status:	PASS		
▶ 2. Apache TC 8::/opt/apache-tomcat-8.0.18/apache-tomcat-8.0.18		Status:	PASS		
▶ 3. Apache TC 8::/opt/apache-tomcat-8.5.20/apache-tomcat		Status:	PASS		
▶ 4. Apache TC 8::/opt/apache-tomcat-8.5.20		Status:	PASS		
▶ (1.3) 9603 Status of the 'manager application (manager.xml)' setting		SERIOUS			
▶ (1.4) 9606 Status of the command-line flag 'RECYCLE_FACADES' set for the Tomcat process		CRITICAL			
▶ (1.5) 9610 Status of the 'connectionTimeout' value within 'Connector' element in 'server.xml' file		SERIOUS			
▶ (1.6) 9611 Status of the 'maxHttpHeaderSize' value within 'Connector' element in 'server.xml' file		SERIOUS			

CISO Responsibility: Ensure Security Controls are in Place and Functioning

<https://www.bitsight.com/blog/ciso-roles-and-responsibilities>

Is Anti-virus active, updated for signatures, scanning?

Is FIM, EDR agent configured correctly to monitor?

Are OS native application protection, memory protection configured?

Need to have Security Control Validation (SCV) in place to test and confirm that security tools have their pre-requisites in place and are configured properly on all endpoints

Security Control Validation from Policy Compliance

Anti-Virus technologies | Qualys FIM Agent | Splunk | Kafka | Native Malware Protection

Reports

51
Total Control Instances

CATEGORY

Anti-Virus/Malwa... 51

Criticality

MEDIUM 3

SERIOUS 18

CRITICAL 26

URGENT 4

Posture

PASS 41

ERROR 1

FAIL 9

Control View

pc.policy.name:"Qualys Security windows" and pc.control.category:"Anti-Virus/Malware"

1 - 50 of 51

	STATUS	CID	CONTROL	TECHNOLOGY/INSTANCE	ASSET NAME	LAST EVALUATION
	Nov 13, 2019			os	10.10.36.125 COMDEV	
▶	<div>PASS</div> <div>Nov 13, 2019</div>	12364	Status of the 'CommunicationStatus' (Last time st	Windows 10 os	comqaw10es 10.10.36.126 COMQA	Nov 13, 2019
▶	<div>PASS</div> <div>Nov 13, 2019</div>	12364	Status of the 'CommunicationStatus' (Last time st	Windows Server 2012 R2 os	i-6f91d2a8 10.11.114.112 I-6F91D	Nov 13, 2019
▶	<div>PASS</div> <div>Nov 13, 2019</div>	13738	Status of the Symantec 'last Virus scan time' older	Windows 2008 Server os	com-2k8-32-87 10.10.32.87 COM-2K8-	Nov 13, 2019
▼	<div>PASS</div> <div>Nov 13, 2019</div>	13738	Status of the Symantec 'last Virus scan time' older	Windows 10 os	comdevw10es 10.10.36.125 COMDEV	Nov 13, 2019
Qualys Policy for Security Control Validation on Windows Platform						
▶	<div>PASS</div> <div>Nov 13, 2019</div>	13738	Status of the Symantec 'last Virus scan time' older	Windows 10 os	comqaw10es 10.10.36.126 COMQA	Nov 13, 2019

Start Gold, Continuously Assess, Remediate

Policy Compliance ▾

DASHBOARD POLICIES SCANS **REPORTS** EXCEPTIONS ASSETS USERS

Reports Schedules Policy Summary **Control View** Templates Setup

72
Total Controls

LABELS
Qualys 72

TAGS
USproduction 72

Policy.name like '%RDP%' and asset.tagName='USproduction' and control.status='failed' Last 24 Hrs

Display: Unified Control Asset

CONTROL COMPLIANCE Policy.name like '% RDP%'

100%

● Failing 06

TRENDING

Jan 01 TODAY

1 - 50 of 75

Actions Group by...

Create Remediation Job

Create Alert

Add Exception

		CONTROL NAME	TECHNOLOGY	ASSET NAME	POLICY EVALUATION	
<input checked="" type="checkbox"/>	Failed	1430	Status of the 'Terminal Services' service	Windows 7	SFO03HQLP79 10.10.35.242	Mar 21, 2018
<input checked="" type="checkbox"/>	Failed	1040	Status of the 'Set time limit for active Remote Desktop Services sessions' setting	Windows 10	SFO04HQLP713 10.10.35.241	May 03, 2018
<input checked="" type="checkbox"/>	Failed	2200	Current list of Groups and User Accounts granted the 'Deny logon through terminal (Remote Desktop)...	Windows 2008 Server	DC03SJC1SQLDB 10.10.31.129	Oct 22, 2018

Network Devices, Printers and sensitive hosts can't be Scanned but are in Security & Compliance Scope

Use Qualys Out-of-Band Config Assessment (OCA)

- Create custom assets
- Push command output, vulnerability, config data

Controls validate settings

Report vulnerabilities, security and misconfigurations

The screenshot displays the HP Qualys OCA interface. At the top, a blue header bar contains the 'HP' logo. Below this is a navigation bar with 'File', 'View', and 'Help' menus. The main section is titled 'Detailed Results' and shows the IP address '154.36.214.3 (hp-in01-prn02, HP-IN01-PRN02)' and the asset name 'HP FutureSmart 4'. A summary bar indicates a 'PASS' status with 12 passed controls, 2 failed, and 0 errors. The interface lists tracking details: Tracking Method (OCA), Last Scan Date (09/05/2019 at 11:12:12 (GMT+0530)), Qualys Host ID (c9192ca4-4bbf-454c-82fa-8c31003521fa), and Asset Tags (OCA). A table of controls is shown, with a total of 12 passed, 2 failed, and 0 errors. The controls are categorized by severity: CRITICAL (2), SERIOUS (2), and PASS (8). The controls listed are: (1.1) 1116 Status of the 'File Transfer Protocol (FTP)' service (CRITICAL, PASS), (1.2) 1861 Status of the 'telnet' service (CRITICAL, FAIL), (1.3) 10270 Status of the SNMP community strings (SERIOUS, PASS), (1.4) 12413 Status of the 'AppleTalk' protocol (SERIOUS, PASS), (1.5) 13857 Status of version of firmware stored in boot PROM (CRITICAL, PASS), and (1.6) 14039 Status of SNMP configuration of version SNMPv1 (CRITICAL, PASS).

Control ID	Control Name	Severity	Status
(1.1) 1116	Status of the 'File Transfer Protocol (FTP)' service	CRITICAL	PASS
(1.2) 1861	Status of the 'telnet' service	CRITICAL	FAIL
(1.3) 10270	Status of the SNMP community strings	SERIOUS	PASS
(1.4) 12413	Status of the 'AppleTalk' protocol	SERIOUS	PASS
(1.5) 13857	Status of version of firmware stored in boot PROM	CRITICAL	PASS
(1.6) 14039	Status of SNMP configuration of version SNMPv1	CRITICAL	PASS

Policy Compliance

Best in class technology and content coverage
For Configuration Management

- >450 Policies, >14,000 controls
- >150 technologies (traditional, emerging)
- > Widest coverage for CIS, STIG, Mandates and beyond
- > Qualys security experts author CIS benchmarks


Data collection from all Qualys sensors

Custom database security & integrity controls

Auto-discovery of middleware technologies

File, Directory Integrity, Network Shares
Monitoring

Auto-remediation for configuration failures



New PC UI and Customizable Dashboard

Policy Compliance Roadmap

Q4 - 2018

Faster PC agent data processing
File Content search for Windows
(Search sensitive content)
Auto-discovery for database
technologies

2020 Q1

New PC UI, customizable dashboards
Dynamic, real-time compliance against policies, mandates
Integration of PC/config data with Asset Inventory
Gold policies to fix configuration Issue 'upfront'
Ticketing integration with JIRA, ServiceNOW


2020 Q2

Configuration assessment for RDS
Automated alerting for compliance, config failures
Support for executing scripts/commands for custom apps
PC agent support for web server technologies
Compliance trending

Your security is only as strong as your weakest vendor

Qualys Security Assessment Questionnaire (SAQ) helps in managing vendor risk per vendor criticality

With **SAQ**, consolidate your vendor security and process compliance with technical security posture on the same platform



File Integrity Monitoring (FIM)

Qualys FIM: In just Second Year, 190+ customers


Built on the same Qualys Cloud Agent you use for VM, PC

Real-time detection for high volume, high scale

Automated incident management and alerting

Out of the box PCI monitoring profiles for OS and applications

No infrastructure, data load for you to manage



Alert and Incident Management for Authorized vs Unauthorized Changes During Patching with Qualys FIM

Qualys. Enterprise

File Integrity Monitoring

DASHBOARD
EVENTS
RULES
INCIDENTS
REPORTS
ASSETS
CONFIGURATION

Rules

Activity
Rule Manager
Actions

X
ruleName: "Unauthorized Windows Patching Activity" or ruleName: "Authorized Windows Patching Activity"

Last 30 Days

RULE NAME

Unauthorized Wi... 2
Authorized Wind... 1

ACTION NAME


Windows Patch ... 3

EMAIL RECIPIENTS


ljhamb@qualys.c... 3
akaur@qualys.co... 3
shings@qualys.c... 2

RULE NAME	STATUS	AGGREGATE	ACTION	MATCHES	CREATED BY
Authorized Windows Patching Acti...	Success 29 minutes ago	Yes	Windows Patch Activity...	1	Aparna Hinge
Unauthorized Windows Patching A...	Success 29 minutes ago	Yes	Windows Patch Activity...	1	Aparna Hinge
Unauthorized Windows Patching A...	Success 2 hours ago	Yes	Windows Patch Activity...	1	Aparna Hinge

Open APIs: Integrate with Any External SIEM, DWH




Qualys FIM gives context of changes in cloud



FIM Demo

FIM Roadmap



Software as a Service (SaaS) Security & Compliance

Even Cloud is bloated; Need just SaaS Applications

Public cloud spending skyrockets as SaaS shines



IDC: Cloud spending to grow 21% by 2021



HR gets the cloud treatment

THE AUSTRALIAN

Workday Rises on Demand for Business Cloud-Based Software

Bloomberg



Office 365

box



Microsoft, Google Make Cloud Offerings More Enticing

eWEEK

Spending On CRM Apps Predicted To Soar In 2018

COMPUTERWORLD



Manage Access, Exposure, Configuration and Compliance of SaaS Applications


Qualys SaaS Security and Compliance (SSC) enables

Inventory
Access

Exposure

Security Configurations

of SaaS applications and resources
E.g. Office365, Gsuite, Salesforce




Discover Sensitive data and make sure it is secure and monitored for changes with Qualys DAG

Qualys Data Access Governance (DAG) will help with regulatory compliance

Discovery
Access Visibility
Activity Monitoring


For your sensitive, critical data



Cloud Applications



Qualys Agent



On Premise Unstructured Data

Directory / Metadata / access / classification
Adya/CV/CloudTrail

Directory / Metadata / access / based on rules

Qualys Cloud Platform

Unstructured Data Discovery

Visibility in ITAM – Know Assets hold sensitive data

Secure through PC - Create permission/share/access controls to check their access

Compliance

GDPR / CCA / HIPAA/ etc

Monitor them through FIM



QUALYS SECURITY CONFERENCE 2020

Thank You

Compliance Team and Shailesh Athalye
sathalye@qualys.com